

**DWT6 6'-2000 COMPARTMENT**  
**2,107 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	2	6 1/8	86	12 1/8	231	18 1/8	412
1/4	2	6 1/4	89	12 1/4	234	18 1/4	417
3/8	3	6 3/8	91	12 3/8	238	18 3/8	421
1/2	4	6 1/2	94	12 1/2	241	18 1/2	425
5/8	5	6 5/8	97	12 5/8	245	18 5/8	429
3/4	6	6 3/4	99	12 3/4	248	18 3/4	433
7/8	7	6 7/8	102	12 7/8	252	18 7/8	437
1	8	7	104	13	255	19	441
1 1/8	9	7 1/8	107	13 1/8	259	19 1/8	445
1 1/4	10	7 1/4	110	13 1/4	263	19 1/4	450
1 3/8	11	7 3/8	113	13 3/8	266	19 3/8	454
1 1/2	13	7 1/2	115	13 1/2	270	19 1/2	458
1 5/8	14	7 5/8	118	13 5/8	273	19 5/8	462
1 3/4	16	7 3/4	121	13 3/4	277	19 3/4	466
1 7/8	17	7 7/8	124	13 7/8	281	19 7/8	470
2	18	8	127	14	284	20	475
2 1/8	20	8 1/8	129	14 1/8	288	20 1/8	479
2 1/4	22	8 1/4	132	14 1/4	292	20 1/4	483
2 3/8	23	8 3/8	135	14 3/8	295	20 3/8	487
2 1/2	25	8 1/2	138	14 1/2	299	20 1/2	492
2 5/8	26	8 5/8	141	14 5/8	303	20 5/8	496
2 3/4	28	8 3/4	144	14 3/4	307	20 3/4	500
2 7/8	30	8 7/8	147	14 7/8	310	20 7/8	505
3	32	9	150	15	314	21	509
3 1/8	34	9 1/8	153	15 1/8	318	21 1/8	513
3 1/4	35	9 1/4	156	15 1/4	322	21 1/4	517
3 3/8	37	9 3/8	159	15 3/8	326	21 3/8	522
3 1/2	39	9 1/2	162	15 1/2	329	21 1/2	526
3 5/8	41	9 5/8	165	15 5/8	333	21 5/8	530
3 3/4	43	9 3/4	168	15 3/4	337	21 3/4	535
3 7/8	45	9 7/8	172	15 7/8	341	21 7/8	539
4	47	10	175	16	345	22	543
4 1/8	49	10 1/8	178	16 1/8	349	22 1/8	548
4 1/4	51	10 1/4	181	16 1/4	353	22 1/4	552
4 3/8	54	10 3/8	184	16 3/8	356	22 3/8	557
4 1/2	56	10 1/2	188	16 1/2	360	22 1/2	561
4 5/8	58	10 5/8	191	16 5/8	364	22 5/8	565
4 3/4	60	10 3/4	194	16 3/4	368	22 3/4	570
4 7/8	62	10 7/8	197	16 7/8	372	22 7/8	574
5	65	11	201	17	376	23	579
5 1/8	67	11 1/8	204	17 1/8	380	23 1/8	583
5 1/4	69	11 1/4	207	17 1/4	384	23 1/4	588
5 3/8	72	11 3/8	211	17 3/8	388	23 3/8	592
5 1/2	74	11 1/2	214	17 1/2	392	23 1/2	596
5 5/8	76	11 5/8	217	17 5/8	396	23 5/8	601
5 3/4	79	11 3/4	221	17 3/4	400	23 3/4	605
5 7/8	81	11 7/8	224	17 7/8	404	23 7/8	610
6	84	12	228	18	408	24	614

**DWT6 6'-2000 COMPARTMENT  
2,107 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	619	30 1/8	841	36 1/8	1,070	42 1/8	1,299
24 1/4	623	30 1/4	846	36 1/4	1,075	42 1/4	1,304
24 3/8	628	30 3/8	850	36 3/8	1,080	42 3/8	1,309
24 1/2	632	30 1/2	855	36 1/2	1,085	42 1/2	1,313
24 5/8	637	30 5/8	860	36 5/8	1,090	42 5/8	1,318
24 3/4	641	30 3/4	865	36 3/4	1,094	42 3/4	1,323
24 7/8	646	30 7/8	869	36 7/8	1,099	42 7/8	1,327
25	650	31	874	37	1,104	43	1,332
25 1/8	655	31 1/8	879	37 1/8	1,109	43 1/8	1,337
25 1/4	660	31 1/4	884	37 1/4	1,114	43 1/4	1,342
25 3/8	664	31 3/8	888	37 3/8	1,118	43 3/8	1,346
25 1/2	669	31 1/2	893	37 1/2	1,123	43 1/2	1,351
25 5/8	673	31 5/8	898	37 5/8	1,128	43 5/8	1,356
25 3/4	678	31 3/4	903	37 3/4	1,133	43 3/4	1,360
25 7/8	682	31 7/8	907	37 7/8	1,138	43 7/8	1,365
26	687	32	912	38	1,142	44	1,369
26 1/8	692	32 1/8	917	38 1/8	1,147	44 1/8	1,374
26 1/4	696	32 1/4	922	38 1/4	1,152	44 1/4	1,379
26 3/8	701	32 3/8	927	38 3/8	1,157	44 3/8	1,383
26 1/2	705	32 1/2	931	38 1/2	1,162	44 1/2	1,388
26 5/8	710	32 5/8	936	38 5/8	1,166	44 5/8	1,393
26 3/4	715	32 3/4	941	38 3/4	1,171	44 3/4	1,397
26 7/8	719	32 7/8	946	38 7/8	1,176	44 7/8	1,402
27	724	33	950	39	1,181	45	1,406
27 1/8	728	33 1/8	955	39 1/8	1,185	45 1/8	1,411
27 1/4	733	33 1/4	960	39 1/4	1,190	45 1/4	1,416
27 3/8	738	33 3/8	965	39 3/8	1,195	45 3/8	1,420
27 1/2	742	33 1/2	970	39 1/2	1,200	45 1/2	1,425
27 5/8	747	33 5/8	974	39 5/8	1,205	45 5/8	1,429
27 3/4	752	33 3/4	979	39 3/4	1,209	45 3/4	1,434
27 7/8	756	33 7/8	984	39 7/8	1,214	45 7/8	1,439
28	761	34	989	40	1,219	46	1,443
28 1/8	766	34 1/8	994	40 1/8	1,224	46 1/8	1,448
28 1/4	770	34 1/4	998	40 1/4	1,228	46 1/4	1,452
28 3/8	775	34 3/8	1,003	40 3/8	1,233	46 3/8	1,457
28 1/2	780	34 1/2	1,008	40 1/2	1,238	46 1/2	1,461
28 5/8	784	34 5/8	1,013	40 5/8	1,243	46 5/8	1,466
28 3/4	789	34 3/4	1,018	40 3/4	1,247	46 3/4	1,470
28 7/8	794	34 7/8	1,022	40 7/8	1,252	46 7/8	1,475
29	799	35	1,027	41	1,257	47	1,479
29 1/8	803	35 1/8	1,032	41 1/8	1,262	47 1/8	1,484
29 1/4	808	35 1/4	1,037	41 1/4	1,266	47 1/4	1,488
29 3/8	813	35 3/8	1,042	41 3/8	1,271	47 3/8	1,493
29 1/2	817	35 1/2	1,046	41 1/2	1,276	47 1/2	1,497
29 5/8	822	35 5/8	1,051	41 5/8	1,280	47 5/8	1,502
29 3/4	827	35 3/4	1,056	41 3/4	1,285	47 3/4	1,506
29 7/8	831	35 7/8	1,061	41 7/8	1,290	47 7/8	1,511
30	836	36	1,066	42	1,295	48	1,515

**DWT6 6'-2000 COMPARTMENT**  
**2,107 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	1,520	54 1/8	1,723	60 1/8	1,900	66 1/8	2,038
48 1/4	1,524	54 1/4	1,727	60 1/4	1,903	66 1/4	2,040
48 3/8	1,529	54 3/8	1,731	60 3/8	1,907	66 3/8	2,043
48 1/2	1,533	54 1/2	1,735	60 1/2	1,910	66 1/2	2,045
48 5/8	1,537	54 5/8	1,739	60 5/8	1,913	66 5/8	2,047
48 3/4	1,542	54 3/4	1,743	60 3/4	1,916	66 3/4	2,049
48 7/8	1,546	54 7/8	1,747	60 7/8	1,920	66 7/8	2,052
49	1,551	55	1,751	61	1,923	67	2,054
49 1/8	1,555	55 1/8	1,755	61 1/8	1,926	67 1/8	2,056
49 1/4	1,559	55 1/4	1,759	61 1/4	1,929	67 1/4	2,058
49 3/8	1,564	55 3/8	1,762	61 3/8	1,932	67 3/8	2,060
49 1/2	1,568	55 1/2	1,766	61 1/2	1,936	67 1/2	2,062
49 5/8	1,572	55 5/8	1,770	61 5/8	1,939	67 5/8	2,064
49 3/4	1,577	55 3/4	1,774	61 3/4	1,942	67 3/4	2,066
49 7/8	1,581	55 7/8	1,778	61 7/8	1,945	67 7/8	2,068
50	1,585	56	1,782	62	1,948	68	2,070
50 1/8	1,590	56 1/8	1,786	62 1/8	1,951	68 1/8	2,072
50 1/4	1,594	56 1/4	1,789	62 1/4	1,954	68 1/4	2,074
50 3/8	1,598	56 3/8	1,793	62 3/8	1,957	68 3/8	2,075
50 1/2	1,603	56 1/2	1,797	62 1/2	1,960	68 1/2	2,077
50 5/8	1,607	56 5/8	1,801	62 5/8	1,963	68 5/8	2,079
50 3/4	1,611	56 3/4	1,804	62 3/4	1,966	68 3/4	2,081
50 7/8	1,616	56 7/8	1,808	62 7/8	1,969	68 7/8	2,082
51	1,620	57	1,812	63	1,972	69	2,084
51 1/8	1,624	57 1/8	1,816	63 1/8	1,975	69 1/8	2,086
51 1/4	1,628	57 1/4	1,819	63 1/4	1,978	69 1/4	2,087
51 3/8	1,633	57 3/8	1,823	63 3/8	1,981	69 3/8	2,089
51 1/2	1,637	57 1/2	1,827	63 1/2	1,983	69 1/2	2,090
51 5/8	1,641	57 5/8	1,830	63 5/8	1,986	69 5/8	2,092
51 3/4	1,645	57 3/4	1,834	63 3/4	1,989	69 3/4	2,093
51 7/8	1,649	57 7/8	1,837	63 7/8	1,992	69 7/8	2,094
52	1,654	58	1,841	64	1,995	70	2,096
52 1/8	1,658	58 1/8	1,845	64 1/8	1,997	70 1/8	2,097
52 1/4	1,662	58 1/4	1,848	64 1/4	2,000	70 1/4	2,098
52 3/8	1,666	58 3/8	1,852	64 3/8	2,003	70 3/8	2,099
52 1/2	1,670	58 1/2	1,855	64 1/2	2,005	70 1/2	2,100
52 5/8	1,674	58 5/8	1,859	64 5/8	2,008	70 5/8	2,102
52 3/4	1,678	58 3/4	1,862	64 3/4	2,011	70 3/4	2,103
52 7/8	1,683	58 7/8	1,866	64 7/8	2,013	70 7/8	2,103
53	1,687	59	1,869	65	2,016	71	2,104
53 1/8	1,691	59 1/8	1,873	65 1/8	2,018	71 1/8	2,105
53 1/4	1,695	59 1/4	1,876	65 1/4	2,021	71 1/4	2,106
53 3/8	1,699	59 3/8	1,880	65 3/8	2,023	71 3/8	2,106
53 1/2	1,703	59 1/2	1,883	65 1/2	2,026	71 1/2	2,107
53 5/8	1,707	59 5/8	1,887	65 5/8	2,028	71 5/8	2,107
53 3/4	1,711	59 3/4	1,890	65 3/4	2,031		
53 7/8	1,715	59 7/8	1,893	65 7/8	2,033		
54	1,719	60	1,897	66	2,036		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.