

8'-7000 DWT6 Double-Wall Tank 6847 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	3	6 1/8	190	12 1/8	512	18 1/8	923	24 1/8	1401
1/4	5	6 1/4	196	12 1/4	520	18 1/4	932	24 1/4	1412
3/8	7	6 3/8	202	12 3/8	528	18 3/8	942	24 3/8	1422
1/2	8	6 1/2	207	12 1/2	535	18 1/2	951	24 1/2	1433
5/8	11	6 5/8	213	12 5/8	543	18 5/8	961	24 5/8	1443
3/4	13	6 3/4	219	12 3/4	551	18 3/4	970	24 3/4	1454
7/8	15	6 7/8	225	12 7/8	559	18 7/8	980	24 7/8	1465
1	17	7	231	13	567	19	989	25	1475
1 1/8	20	7 1/8	237	13 1/8	575	19 1/8	999	25 1/8	1486
1 1/4	23	7 1/4	243	13 1/4	583	19 1/4	1008	25 1/4	1497
1 3/8	25	7 3/8	249	13 3/8	591	19 3/8	1018	25 3/8	1507
1 1/2	28	7 1/2	255	13 1/2	599	19 1/2	1027	25 1/2	1518
1 5/8	31	7 5/8	261	13 5/8	607	19 5/8	1037	25 5/8	1529
1 3/4	34	7 3/4	267	13 3/4	616	19 3/4	1047	25 3/4	1540
1 7/8	38	7 7/8	273	13 7/8	624	19 7/8	1056	25 7/8	1550
2	41	8	280	14	632	20	1066	26	1561
2 1/8	44	8 1/8	286	14 1/8	640	20 1/8	1076	26 1/8	1572
2 1/4	48	8 1/4	292	14 1/4	649	20 1/4	1086	26 1/4	1583
2 3/8	51	8 3/8	299	14 3/8	657	20 3/8	1096	26 3/8	1594
2 1/2	55	8 1/2	305	14 1/2	666	20 1/2	1105	26 1/2	1605
2 5/8	58	8 5/8	312	14 5/8	674	20 5/8	1115	26 5/8	1616
2 3/4	62	8 3/4	318	14 3/4	682	20 3/4	1125	26 3/4	1627
2 7/8	66	8 7/8	325	14 7/8	691	20 7/8	1135	26 7/8	1638
3	70	9	332	15	699	21	1145	27	1649
3 1/8	74	9 1/8	338	15 1/8	708	21 1/8	1155	27 1/8	1660
3 1/4	78	9 1/4	345	15 1/4	717	21 1/4	1165	27 1/4	1671
3 3/8	82	9 3/8	352	15 3/8	725	21 3/8	1175	27 3/8	1682
3 1/2	87	9 1/2	359	15 1/2	734	21 1/2	1185	27 1/2	1693
3 5/8	91	9 5/8	366	15 5/8	743	21 5/8	1195	27 5/8	1704
3 3/4	95	9 3/4	373	15 3/4	751	21 3/4	1205	27 3/4	1715
3 7/8	100	9 7/8	380	15 7/8	760	21 7/8	1215	27 7/8	1726
4	104	10	387	16	769	22	1225	28	1737
4 1/8	109	10 1/8	394	16 1/8	778	22 1/8	1235	28 1/8	1748
4 1/4	113	10 1/4	401	16 1/4	787	22 1/4	1246	28 1/4	1759
4 3/8	118	10 3/8	408	16 3/8	795	22 3/8	1256	28 3/8	1770
4 1/2	123	10 1/2	415	16 1/2	804	22 1/2	1266	28 1/2	1782
4 5/8	128	10 5/8	422	16 5/8	813	22 5/8	1276	28 5/8	1793
4 3/4	133	10 3/4	430	16 3/4	822	22 3/4	1287	28 3/4	1804
4 7/8	138	10 7/8	437	16 7/8	831	22 7/8	1297	28 7/8	1815
5	143	11	444	17	840	23	1307	29	1827
5 1/8	148	11 1/8	452	17 1/8	849	23 1/8	1318	29 1/8	1838
5 1/4	153	11 1/4	459	17 1/4	859	23 1/4	1328	29 1/4	1849
5 3/8	158	11 3/8	466	17 3/8	868	23 3/8	1338	29 3/8	1860
5 1/2	163	11 1/2	474	17 1/2	877	23 1/2	1349	29 1/2	1872
5 5/8	169	11 5/8	482	17 5/8	886	23 5/8	1359	29 5/8	1883
5 3/4	174	11 3/4	489	17 3/4	895	23 3/4	1370	29 3/4	1894
5 7/8	179	11 7/8	497	17 7/8	905	23 7/8	1380	29 7/8	1906
6	185	12	504	18	914	24	1391	30	1917

8'-7000 DWT6 Double-Wall Tank 6847 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	1929	36 1/8	2490	42 1/8	3073	48 1/8	3664	54 1/8	4249
30 1/4	1940	36 1/4	2502	42 1/4	3085	48 1/4	3676	54 1/4	4261
30 3/8	1951	36 3/8	2514	42 3/8	3098	48 3/8	3688	54 3/8	4273
30 1/2	1963	36 1/2	2526	42 1/2	3110	48 1/2	3700	54 1/2	4285
30 5/8	1974	36 5/8	2538	42 5/8	3122	48 5/8	3713	54 5/8	4297
30 3/4	1986	36 3/4	2550	42 3/4	3135	48 3/4	3725	54 3/4	4309
30 7/8	1997	36 7/8	2562	42 7/8	3147	48 7/8	3737	54 7/8	4321
31	2009	37	2574	43	3159	49	3749	55	4333
31 1/8	2020	37 1/8	2586	43 1/8	3171	49 1/8	3762	55 1/8	4345
31 1/4	2032	37 1/4	2599	43 1/4	3184	49 1/4	3774	55 1/4	4357
31 3/8	2043	37 3/8	2611	43 3/8	3196	49 3/8	3786	55 3/8	4369
31 1/2	2055	37 1/2	2623	43 1/2	3208	49 1/2	3799	55 1/2	4381
31 5/8	2066	37 5/8	2635	43 5/8	3221	49 5/8	3811	55 5/8	4393
31 3/4	2078	37 3/4	2647	43 3/4	3233	49 3/4	3823	55 3/4	4405
31 7/8	2089	37 7/8	2659	43 7/8	3245	49 7/8	3835	55 7/8	4416
32	2101	38	2671	44	3257	50	3848	56	4428
32 1/8	2113	38 1/8	2683	44 1/8	3270	50 1/8	3860	56 1/8	4440
32 1/4	2124	38 1/4	2695	44 1/4	3282	50 1/4	3872	56 1/4	4452
32 3/8	2136	38 3/8	2707	44 3/8	3294	50 3/8	3884	56 3/8	4464
32 1/2	2148	38 1/2	2719	44 1/2	3307	50 1/2	3896	56 1/2	4476
32 5/8	2159	38 5/8	2731	44 5/8	3319	50 5/8	3909	56 5/8	4488
32 3/4	2171	38 3/4	2744	44 3/4	3331	50 3/4	3921	56 3/4	4500
32 7/8	2183	38 7/8	2756	44 7/8	3344	50 7/8	3933	56 7/8	4512
33	2194	39	2768	45	3356	51	3945	57	4523
33 1/8	2206	39 1/8	2780	45 1/8	3368	51 1/8	3958	57 1/8	4535
33 1/4	2218	39 1/4	2792	45 1/4	3380	51 1/4	3970	57 1/4	4547
33 3/8	2230	39 3/8	2804	45 3/8	3393	51 3/8	3982	57 3/8	4559
33 1/2	2241	39 1/2	2817	45 1/2	3405	51 1/2	3994	57 1/2	4571
33 5/8	2253	39 5/8	2829	45 5/8	3417	51 5/8	4006	57 5/8	4582
33 3/4	2265	39 3/4	2841	45 3/4	3430	51 3/4	4018	57 3/4	4594
33 7/8	2277	39 7/8	2853	45 7/8	3442	51 7/8	4031	57 7/8	4606
34	2288	40	2865	46	3454	52	4043	58	4618
34 1/8	2300	40 1/8	2877	46 1/8	3467	52 1/8	4055	58 1/8	4629
34 1/4	2312	40 1/4	2890	46 1/4	3479	52 1/4	4067	58 1/4	4641
34 3/8	2324	40 3/8	2902	46 3/8	3491	52 3/8	4079	58 3/8	4653
34 1/2	2336	40 1/2	2914	46 1/2	3504	52 1/2	4091	58 1/2	4665
34 5/8	2348	40 5/8	2926	46 5/8	3516	52 5/8	4104	58 5/8	4676
34 3/4	2359	40 3/4	2938	46 3/4	3528	52 3/4	4116	58 3/4	4688
34 7/8	2371	40 7/8	2951	46 7/8	3541	52 7/8	4128	58 7/8	4700
35	2383	41	2963	47	3553	53	4140	59	4711
35 1/8	2395	41 1/8	2975	47 1/8	3565	53 1/8	4152	59 1/8	4723
35 1/4	2407	41 1/4	2987	47 1/4	3577	53 1/4	4164	59 1/4	4734
35 3/8	2419	41 3/8	3000	47 3/8	3590	53 3/8	4176	59 3/8	4746
35 1/2	2431	41 1/2	3012	47 1/2	3602	53 1/2	4188	59 1/2	4758
35 5/8	2443	41 5/8	3024	47 5/8	3614	53 5/8	4200	59 5/8	4769
35 3/4	2455	41 3/4	3036	47 3/4	3627	53 3/4	4212	59 3/4	4781
35 7/8	2467	41 7/8	3049	47 7/8	3639	53 7/8	4225	59 7/8	4792
36	2478	42	3061	48	3651	54	4237	60	4804

8'-7000 DWT6 Double-Wall Tank 6847 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	4816	66 1/8	5351	72 1/8	5839	78 1/8	6264	84 1/8	6605
60 1/4	4827	66 1/4	5361	72 1/4	5849	78 1/4	6272	84 1/4	6611
60 3/8	4839	66 3/8	5372	72 3/8	5858	78 3/8	6280	84 3/8	6617
60 1/2	4850	66 1/2	5383	72 1/2	5868	78 1/2	6288	84 1/2	6623
60 5/8	4861	66 5/8	5393	72 5/8	5877	78 5/8	6296	84 5/8	6628
60 3/4	4873	66 3/4	5404	72 3/4	5887	78 3/4	6304	84 3/4	6634
60 7/8	4884	66 7/8	5414	72 7/8	5896	78 7/8	6312	84 7/8	6640
61	4896	67	5425	73	5905	79	6320	85	6646
61 1/8	4907	67 1/8	5436	73 1/8	5915	79 1/8	6327	85 1/8	6651
61 1/4	4919	67 1/4	5446	73 1/4	5924	79 1/4	6335	85 1/4	6657
61 3/8	4930	67 3/8	5457	73 3/8	5933	79 3/8	6343	85 3/8	6662
61 1/2	4941	67 1/2	5467	73 1/2	5943	79 1/2	6350	85 1/2	6668
61 5/8	4953	67 5/8	5478	73 5/8	5952	79 5/8	6358	85 5/8	6673
61 3/4	4964	67 3/4	5488	73 3/4	5961	79 3/4	6366	85 3/4	6679
61 7/8	4975	67 7/8	5498	73 7/8	5970	79 7/8	6373	85 7/8	6684
62	4987	68	5509	74	5979	80	6381	86	6689
62 1/8	4998	68 1/8	5519	74 1/8	5989	80 1/8	6388	86 1/8	6694
62 1/4	5009	68 1/4	5530	74 1/4	5998	80 1/4	6396	86 1/4	6699
62 3/8	5021	68 3/8	5540	74 3/8	6007	80 3/8	6403	86 3/8	6705
62 1/2	5032	68 1/2	5550	74 1/2	6016	80 1/2	6410	86 1/2	6710
62 5/8	5043	68 5/8	5561	74 5/8	6025	80 5/8	6418	86 5/8	6715
62 3/4	5054	68 3/4	5571	74 3/4	6034	80 3/4	6425	86 3/4	6719
62 7/8	5066	68 7/8	5581	74 7/8	6043	80 7/8	6432	86 7/8	6724
63	5077	69	5591	75	6052	81	6439	87	6729
63 1/8	5088	69 1/8	5602	75 1/8	6061	81 1/8	6446	87 1/8	6734
63 1/4	5099	69 1/4	5612	75 1/4	6069	81 1/4	6454	87 1/4	6738
63 3/8	5110	69 3/8	5622	75 3/8	6078	81 3/8	6461	87 3/8	6743
63 1/2	5121	69 1/2	5632	75 1/2	6087	81 1/2	6468	87 1/2	6747
63 5/8	5132	69 5/8	5642	75 5/8	6096	81 5/8	6475	87 5/8	6752
63 3/4	5143	69 3/4	5652	75 3/4	6105	81 3/4	6482	87 3/4	6756
63 7/8	5155	69 7/8	5662	75 7/8	6113	81 7/8	6488	87 7/8	6761
64	5166	70	5672	76	6122	82	6495	88	6765
64 1/8	5177	70 1/8	5682	76 1/8	6131	82 1/8	6502	88 1/8	6769
64 1/4	5188	70 1/4	5692	76 1/4	6139	82 1/4	6509	88 1/4	6773
64 3/8	5199	70 3/8	5702	76 3/8	6148	82 3/8	6516	88 3/8	6777
64 1/2	5210	70 1/2	5712	76 1/2	6156	82 1/2	6522	88 1/2	6781
64 5/8	5221	70 5/8	5722	76 5/8	6165	82 5/8	6529	88 5/8	6785
64 3/4	5231	70 3/4	5732	76 3/4	6173	82 3/4	6535	88 3/4	6789
64 7/8	5242	70 7/8	5742	76 7/8	6182	82 7/8	6542	88 7/8	6792
65	5253	71	5752	77	6190	83	6548	89	6796
65 1/8	5264	71 1/8	5761	77 1/8	6198	83 1/8	6555	89 1/8	6800
65 1/4	5275	71 1/4	5771	77 1/4	6207	83 1/4	6561	89 1/4	6803
65 3/8	5286	71 3/8	5781	77 3/8	6215	83 3/8	6568	89 3/8	6806
65 1/2	5297	71 1/2	5791	77 1/2	6223	83 1/2	6574	89 1/2	6810
65 5/8	5307	71 5/8	5800	77 5/8	6232	83 5/8	6580	89 5/8	6813
65 3/4	5318	71 3/4	5810	77 3/4	6240	83 3/4	6586	89 3/4	6816
65 7/8	5329	71 7/8	5820	77 7/8	6248	83 7/8	6593	89 7/8	6819
66	5340	72	5829	78	6256	84	6599	90	6822

8'-7000 DWT6 Double-Wall Tank

6847 Gals

DIPSTICK	GALLONS
90 1/8	6825
90 1/4	6827
90 3/8	6830
90 1/2	6832
90 5/8	6835
90 3/4	6837
90 7/8	6839



CONTAINMENT
SOLUTIONS®

91	6841
91 1/8	6842
91 1/4	6844
91 3/8	6845
91 1/2	6846
91 5/8	6847

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

Containment Solutions, Inc.

333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.
