

8'-12000 DWT6 Double-Wall Tank 11595 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	6	6 1/8	336	12 1/8	896	18 1/8	1601	24 1/8	2412
1/4	9	6 1/4	346	12 1/4	909	18 1/4	1617	24 1/4	2430
3/8	12	6 3/8	356	12 3/8	923	18 3/8	1633	24 3/8	2448
1/2	15	6 1/2	366	12 1/2	936	18 1/2	1649	24 1/2	2465
5/8	19	6 5/8	376	12 5/8	950	18 5/8	1665	24 5/8	2483
3/4	23	6 3/4	386	12 3/4	964	18 3/4	1681	24 3/4	2501
7/8	27	6 7/8	397	12 7/8	977	18 7/8	1697	24 7/8	2519
1	31	7	407	13	991	19	1714	25	2537
1 1/8	36	7 1/8	417	13 1/8	1005	19 1/8	1730	25 1/8	2555
1 1/4	40	7 1/4	428	13 1/4	1019	19 1/4	1746	25 1/4	2573
1 3/8	45	7 3/8	438	13 3/8	1033	19 3/8	1762	25 3/8	2591
1 1/2	50	7 1/2	449	13 1/2	1047	19 1/2	1779	25 1/2	2610
1 5/8	56	7 5/8	460	13 5/8	1061	19 5/8	1795	25 5/8	2628
1 3/4	61	7 3/4	471	13 3/4	1075	19 3/4	1812	25 3/4	2646
1 7/8	67	7 7/8	481	13 7/8	1089	19 7/8	1828	25 7/8	2664
2	73	8	492	14	1103	20	1845	26	2682
2 1/8	79	8 1/8	504	14 1/8	1117	20 1/8	1861	26 1/8	2701
2 1/4	85	8 1/4	515	14 1/4	1132	20 1/4	1878	26 1/4	2719
2 3/8	91	8 3/8	526	14 3/8	1146	20 3/8	1894	26 3/8	2737
2 1/2	97	8 1/2	537	14 1/2	1160	20 1/2	1911	26 1/2	2756
2 5/8	104	8 5/8	549	14 5/8	1175	20 5/8	1928	26 5/8	2774
2 3/4	111	8 3/4	560	14 3/4	1189	20 3/4	1945	26 3/4	2792
2 7/8	118	8 7/8	572	14 7/8	1204	20 7/8	1961	26 7/8	2811
3	125	9	583	15	1219	21	1978	27	2829
3 1/8	132	9 1/8	595	15 1/8	1233	21 1/8	1995	27 1/8	2848
3 1/4	139	9 1/4	607	15 1/4	1248	21 1/4	2012	27 1/4	2866
3 3/8	146	9 3/8	618	15 3/8	1263	21 3/8	2029	27 3/8	2885
3 1/2	154	9 1/2	630	15 1/2	1278	21 1/2	2046	27 1/2	2903
3 5/8	161	9 5/8	642	15 5/8	1293	21 5/8	2063	27 5/8	2922
3 3/4	169	9 3/4	654	15 3/4	1308	21 3/4	2080	27 3/4	2941
3 7/8	177	9 7/8	666	15 7/8	1323	21 7/8	2097	27 7/8	2959
4	185	10	679	16	1338	22	2115	28	2978
4 1/8	193	10 1/8	691	16 1/8	1353	22 1/8	2132	28 1/8	2997
4 1/4	201	10 1/4	703	16 1/4	1368	22 1/4	2149	28 1/4	3016
4 3/8	209	10 3/8	716	16 3/8	1383	22 3/8	2166	28 3/8	3034
4 1/2	218	10 1/2	728	16 1/2	1398	22 1/2	2184	28 1/2	3053
4 5/8	226	10 5/8	741	16 5/8	1414	22 5/8	2201	28 5/8	3072
4 3/4	235	10 3/4	753	16 3/4	1429	22 3/4	2218	28 3/4	3091
4 7/8	244	10 7/8	766	16 7/8	1444	22 7/8	2236	28 7/8	3110
5	253	11	779	17	1460	23	2253	29	3129
5 1/8	261	11 1/8	791	17 1/8	1475	23 1/8	2271	29 1/8	3147
5 1/4	270	11 1/4	804	17 1/4	1491	23 1/4	2288	29 1/4	3166
5 3/8	280	11 3/8	817	17 3/8	1507	23 3/8	2306	29 3/8	3185
5 1/2	289	11 1/2	830	17 1/2	1522	23 1/2	2323	29 1/2	3204
5 5/8	298	11 5/8	843	17 5/8	1538	23 5/8	2341	29 5/8	3223
5 3/4	308	11 3/4	856	17 3/4	1554	23 3/4	2359	29 3/4	3242
5 7/8	317	11 7/8	870	17 7/8	1569	23 7/8	2376	29 7/8	3262
6	327	12	883	18	1585	24	2394	30	3281

8'-12000 DWT6 Double-Wall Tank 11595 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	3300	36 1/8	4241	42 1/8	5213	48 1/8	6198	54 1/8	7174
30 1/4	3319	36 1/4	4261	42 1/4	5234	48 1/4	6218	54 1/4	7194
30 3/8	3338	36 3/8	4281	42 3/8	5254	48 3/8	6239	54 3/8	7214
30 1/2	3357	36 1/2	4301	42 1/2	5275	48 1/2	6259	54 1/2	7234
30 5/8	3376	36 5/8	4321	42 5/8	5295	48 5/8	6280	54 5/8	7254
30 3/4	3396	36 3/4	4341	42 3/4	5316	48 3/4	6300	54 3/4	7274
30 7/8	3415	36 7/8	4361	42 7/8	5336	48 7/8	6321	54 7/8	7294
31	3434	37	4381	43	5357	49	6341	55	7314
31 1/8	3453	37 1/8	4401	43 1/8	5377	49 1/8	6361	55 1/8	7335
31 1/4	3473	37 1/4	4421	43 1/4	5398	49 1/4	6382	55 1/4	7355
31 3/8	3492	37 3/8	4441	43 3/8	5418	49 3/8	6402	55 3/8	7375
31 1/2	3511	37 1/2	4462	43 1/2	5439	49 1/2	6423	55 1/2	7395
31 5/8	3531	37 5/8	4482	43 5/8	5459	49 5/8	6443	55 5/8	7414
31 3/4	3550	37 3/4	4502	43 3/4	5480	49 3/4	6464	55 3/4	7434
31 7/8	3570	37 7/8	4522	43 7/8	5500	49 7/8	6484	55 7/8	7454
32	3589	38	4542	44	5521	50	6505	56	7474
32 1/8	3609	38 1/8	4562	44 1/8	5541	50 1/8	6525	56 1/8	7494
32 1/4	3628	38 1/4	4583	44 1/4	5562	50 1/4	6545	56 1/4	7514
32 3/8	3648	38 3/8	4603	44 3/8	5582	50 3/8	6566	56 3/8	7534
32 1/2	3667	38 1/2	4623	44 1/2	5603	50 1/2	6586	56 1/2	7554
32 5/8	3687	38 5/8	4643	44 5/8	5623	50 5/8	6607	56 5/8	7574
32 3/4	3706	38 3/4	4663	44 3/4	5644	50 3/4	6627	56 3/4	7594
32 7/8	3726	38 7/8	4684	44 7/8	5664	50 7/8	6647	56 7/8	7613
33	3745	39	4704	45	5685	51	6668	57	7633
33 1/8	3765	39 1/8	4724	45 1/8	5705	51 1/8	6688	57 1/8	7653
33 1/4	3785	39 1/4	4745	45 1/4	5726	51 1/4	6708	57 1/4	7673
33 3/8	3804	39 3/8	4765	45 3/8	5746	51 3/8	6729	57 3/8	7692
33 1/2	3824	39 1/2	4785	45 1/2	5767	51 1/2	6749	57 1/2	7712
33 5/8	3844	39 5/8	4805	45 5/8	5787	51 5/8	6769	57 5/8	7732
33 3/4	3863	39 3/4	4826	45 3/4	5808	51 3/4	6790	57 3/4	7752
33 7/8	3883	39 7/8	4846	45 7/8	5828	51 7/8	6810	57 7/8	7771
34	3903	40	4866	46	5849	52	6830	58	7791
34 1/8	3922	40 1/8	4887	46 1/8	5869	52 1/8	6851	58 1/8	7811
34 1/4	3942	40 1/4	4907	46 1/4	5890	52 1/4	6871	58 1/4	7830
34 3/8	3962	40 3/8	4928	46 3/8	5910	52 3/8	6891	58 3/8	7850
34 1/2	3982	40 1/2	4948	46 1/2	5931	52 1/2	6911	58 1/2	7869
34 5/8	4002	40 5/8	4968	46 5/8	5952	52 5/8	6932	58 5/8	7889
34 3/4	4021	40 3/4	4989	46 3/4	5972	52 3/4	6952	58 3/4	7909
34 7/8	4041	40 7/8	5009	46 7/8	5993	52 7/8	6972	58 7/8	7928
35	4061	41	5029	47	6013	53	6992	59	7948
35 1/8	4081	41 1/8	5050	47 1/8	6034	53 1/8	7013	59 1/8	7967
35 1/4	4101	41 1/4	5070	47 1/4	6054	53 1/4	7033	59 1/4	7987
35 3/8	4121	41 3/8	5091	47 3/8	6075	53 3/8	7053	59 3/8	8006
35 1/2	4141	41 1/2	5111	47 1/2	6095	53 1/2	7073	59 1/2	8026
35 5/8	4161	41 5/8	5132	47 5/8	6116	53 5/8	7093	59 5/8	8045
35 3/4	4181	41 3/4	5152	47 3/4	6136	53 3/4	7114	59 3/4	8064
35 7/8	4201	41 7/8	5172	47 7/8	6157	53 7/8	7134	59 7/8	8084
36	4221	42	5193	48	6177	54	7154	60	8103

8'-12000 DWT6 Double-Wall Tank 11595 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	8122	66 1/8	9022	72 1/8	9849	78 1/8	10577	84 1/8	11167
60 1/4	8142	66 1/4	9040	72 1/4	9865	78 1/4	10590	84 1/4	11178
60 3/8	8161	66 3/8	9058	72 3/8	9882	78 3/8	10604	84 3/8	11188
60 1/2	8180	66 1/2	9076	72 1/2	9898	78 1/2	10618	84 1/2	11199
60 5/8	8200	66 5/8	9094	72 5/8	9914	78 5/8	10632	84 5/8	11209
60 3/4	8219	66 3/4	9112	72 3/4	9930	78 3/4	10645	84 3/4	11219
60 7/8	8238	66 7/8	9130	72 7/8	9946	78 7/8	10659	84 7/8	11229
61	8257	67	9148	73	9962	79	10672	85	11239
61 1/8	8276	67 1/8	9165	73 1/8	9978	79 1/8	10686	85 1/8	11249
61 1/4	8295	67 1/4	9183	73 1/4	9994	79 1/4	10699	85 1/4	11259
61 3/8	8315	67 3/8	9201	73 3/8	10010	79 3/8	10712	85 3/8	11269
61 1/2	8334	67 1/2	9219	73 1/2	10026	79 1/2	10726	85 1/2	11278
61 5/8	8353	67 5/8	9236	73 5/8	10042	79 5/8	10739	85 5/8	11288
61 3/4	8372	67 3/4	9254	73 3/4	10057	79 3/4	10752	85 3/4	11297
61 7/8	8391	67 7/8	9272	73 7/8	10073	79 7/8	10765	85 7/8	11306
62	8410	68	9289	74	10089	80	10778	86	11316
62 1/8	8429	68 1/8	9307	74 1/8	10104	80 1/8	10791	86 1/8	11325
62 1/4	8448	68 1/4	9324	74 1/4	10120	80 1/4	10804	86 1/4	11334
62 3/8	8467	68 3/8	9342	74 3/8	10135	80 3/8	10817	86 3/8	11343
62 1/2	8486	68 1/2	9359	74 1/2	10151	80 1/2	10829	86 1/2	11352
62 5/8	8504	68 5/8	9377	74 5/8	10166	80 5/8	10842	86 5/8	11360
62 3/4	8523	68 3/4	9394	74 3/4	10182	80 3/4	10855	86 3/4	11369
62 7/8	8542	68 7/8	9412	74 7/8	10197	80 7/8	10867	86 7/8	11377
63	8561	69	9429	75	10212	81	10880	87	11386
63 1/8	8580	69 1/8	9446	75 1/8	10227	81 1/8	10892	87 1/8	11394
63 1/4	8598	69 1/4	9463	75 1/4	10242	81 1/4	10904	87 1/4	11402
63 3/8	8617	69 3/8	9481	75 3/8	10258	81 3/8	10917	87 3/8	11410
63 1/2	8636	69 1/2	9498	75 1/2	10273	81 1/2	10929	87 1/2	11418
63 5/8	8654	69 5/8	9515	75 5/8	10288	81 5/8	10941	87 5/8	11426
63 3/4	8673	69 3/4	9532	75 3/4	10303	81 3/4	10953	87 3/4	11434
63 7/8	8692	69 7/8	9549	75 7/8	10318	81 7/8	10965	87 7/8	11441
64	8710	70	9566	76	10332	82	10977	88	11449
64 1/8	8729	70 1/8	9583	76 1/8	10347	82 1/8	10989	88 1/8	11456
64 1/4	8747	70 1/4	9600	76 1/4	10362	82 1/4	11000	88 1/4	11464
64 3/8	8766	70 3/8	9617	76 3/8	10377	82 3/8	11012	88 3/8	11471
64 1/2	8784	70 1/2	9634	76 1/2	10391	82 1/2	11024	88 1/2	11478
64 5/8	8803	70 5/8	9651	76 5/8	10406	82 5/8	11035	88 5/8	11484
64 3/4	8821	70 3/4	9667	76 3/4	10420	82 3/4	11047	88 3/4	11491
64 7/8	8840	70 7/8	9684	76 7/8	10435	82 7/8	11058	88 7/8	11498
65	8858	71	9701	77	10449	83	11069	89	11504
65 1/8	8876	71 1/8	9717	77 1/8	10464	83 1/8	11081	89 1/8	11510
65 1/4	8895	71 1/4	9734	77 1/4	10478	83 1/4	11092	89 1/4	11517
65 3/8	8913	71 3/8	9751	77 3/8	10492	83 3/8	11103	89 3/8	11522
65 1/2	8931	71 1/2	9767	77 1/2	10506	83 1/2	11114	89 1/2	11528
65 5/8	8949	71 5/8	9784	77 5/8	10521	83 5/8	11125	89 5/8	11534
65 3/4	8968	71 3/4	9800	77 3/4	10535	83 3/4	11135	89 3/4	11539
65 7/8	8986	71 7/8	9816	77 7/8	10549	83 7/8	11146	89 7/8	11545
66	9004	72	9833	78	10563	84	11157	90	11550

8'-12000 DWT6 Double-Wall Tank 11595 Gals

DIPSTICK	GALLONS
90 1/8	11555
90 1/4	11560
90 3/8	11564
90 1/2	11568
90 5/8	11573
90 3/4	11576
90 7/8	11580



CONTAINMENT
SOLUTIONS®

91	11583
91 1/8	11586
91 1/4	11589
91 3/8	11592
91 1/2	11593
91 5/8	11595

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

Containment Solutions, Inc.

333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.